

free pattern

Country Weekend



- DESIGNED BY TAILORMADE BY DESIGN
- FINISHED SIZE: 60 1/2" x 77"
- PATTERN AVAILABLE IN MAY 2020
AT BENARTEX.COM



COUNTRY WEEKEND QUILT INSTRUCTIONS:

Finished Quilt — Size 60 ½" x 77 "

Block Size — 10 " finished

SAMPLE	KEY / SKU	QTY	CUT
	A Wood Flake <i>Steel 6884-15</i>	5/8 yd	(7) 1 7/8" x WOF strips (2) 2 1/8" x WOF strips sub-cut (36) 2 1/8" squares
	B Poinsettia Tonal <i>Steel 6885-15</i>	1 yd	(6) 3 3/8" x WOF strips (1) 4 ½" x WOF strip sub-cut (9) 4 ½" squares
	C Snow Village Panel <i>Multi 6880-99</i>	2 Panels	(13) Fussy cut 7 5/8" squares
	D Poinsettia Tonal <i>Stone 6885-16</i>	1 yd	(10) 2 ½" x WOF strips sub-cut (146) 2 ½" squares (1) 4 ½" x WOF strip sub-cut (9) 4 ½" squares
	E Wood Flake <i>Stone/Red 6884-16</i>	1 ¼ yd	(4) 3 7/8" x WOF strips sub-cut (36) 3 7/8" x 2 1/8" strips (2) 2 1/8" x WOF strips sub-cut (32) 2 1/8" squares (14) 1 3/4" x WOF* strips Sashing and border 2
	F Festive Snowman <i>Gunmetal 6888-14</i>	¼ yd	(1) 3 7/8" x WOF strip sub-cut (9) 3 7/8" squares
	G Poinsettia Tonal <i>Grenadine 6885-19</i>	3/4 yd	(5) 2 ½" x WOF strips sub-cut (68) 2 ½" squares (7) 1 ½" x WOF* strips - border 1
	H Wood Flake <i>Charcoal 6884-14</i>	3/8 yd	(4) 2 ½" x WOF strips sub-cut (50) 2 ½" squares
	I Believe in Magic <i>Red 6883-20</i>	½ yd	(1) 4 ½" x WOF strip sub-cut (8) 4 ½" squares (2) 2 ½" x WOF strips sub-cut (32) 2 ½" squares
	J Village Check <i>Berry 6886-20</i>	7/8 yd	(3) 2 ½" x WOF strips sub-cut (40) 2 ½" squares (8) 2 ¼" x WOF* strips- binding
	K Washed Wood <i>Steel 7709-15</i>	7/8 yd	(8) 3" x WOF* strips - border 3

* Sew strips together via short ends

WOF = Width of Fabric RST = Right sides together

BLOCK ASSEMBLY:

This quilt is made up of three different types of 10 " finished-sized blocks:


- (13) Spaced Squares Frame Blocks
- (9) Summer Winds Blocks
- (8) Wyoming Valley Blocks

For both the Summer Winds and Wyoming Valley Blocks you will need the same size Half Square Triangles (HST) and Flying Geese sets in a combination of colors. Follow the directions below to make the combinations you will need. Label the color combinations.

Half Square Triangles (HST)

For best results, sew a scant ¼" seam on diagonal seams.


- Place (1) D 2 ½" square and (1) H 2 ½" square with RST and draw a line diagonally from corner to corner. Sew ¼" seam on each side of line. Cut on line and open to make (2) HST. Square to 2 1/8".



- Use step 1 instructions to make the following combinations of HST:


For Summer Winds Blocks

18 sets — (36) DH
36 sets — (72) DG



For Wyoming Valley Blocks


24 sets — (48) DH
8 sets — (16) HJ
32 sets — (64) DJ




Flying Geese

This method uses (4) 2 ½" squares and (1) 4 ½" square to make 4 flying geese.

- Draw a diagonal line across D 2 ½" squares. Place (1) D 2 ½" square at top of (1) B 4 ½" square and one at the bottom of the square as shown. B squares will overlap in the center. Sew ¼" seam on each side of line. Cut on line and press.



4. Place (1) D 2 1/2" square RST to (1) set from Step 3, match corner as shown. Sew 1/4" seam on either side of drawn line. Cut on drawn line to make (2) Flying Geese Sets. Repeat with remaining unit from Step 3 to make a total of (4) Flying Geese Sets. Square to 2 1/8" x 3 7/8".




5. Use step 3 and 4 instructions to make the following combinations of flying geese:

For Summer Winds Blocks

9 sets — (36) BD


(9) B 4 1/2" squares, (36) D 2 1/2" squares



For Wyoming Valley Blocks

8 sets — (32) DI

(8) D 4 1/2" squares, (32) I 2 1/2" squares




8 sets — (32) IG

(8) I 4 1/2" squares, (32) G 2 1/2" squares



Spaced Squares Frame Block


6. Sew (1) B 3 3/8" x WOF strip to either side of (1) A 1 7/8" x WOF strip. Press. Repeat to make (3) BAB strip sets.



7. Sub cut (1) BAB strip set into (22) 1 7/8" BAB sets. Cut 4 more 1 7/8" BAB sets from a second strip set. The remainder will be used in the next step.



8. Sew (1) A 1 7/8" x WOF strip to either side of one BAB strip set to make ABABA set. Repeat with remaining BAB strip sets.



9. Sub cut ABABA sets into (26) 1 7/8" ABABA sets.



10. Sew (1) 1 7/8" BAB set to left and right side of (1) C fussy cut square. Make (13) center sets.

11. Sew (1) 1 7/8" ABABA set to the top and bottom of center set from Step 10 to make (1) Spaced Squares Frame block.




Make (13) Spaced Squares Frame Blocks.



Summer Winds Block

For this block you will use previously prepared HST and flying geese.


12. Sew (1) E 3 7/8" x 2 1/8" to top of (1) BD Flying Geese set (point up), press. Make (36) E/Flying Geese Sets.



13. Using the DH and DG-HSTs made in Step 2, sew (1) DH-HST to the right side of (1) DG-HST (Note direction in diagram). Press. Make (36) DGH sets.




14. Sew (1) DG-HST to the right side of (1) A 2 1/8" square. (Note direction in diagram). Press. Make (36) ADG sets.



15. Sew (1) DGH set to the top of (1) ADG set to make corner sets. Press. Make (36) corner sets.




16. Following diagram for rotation of corner set, sew (1) corner set to the left and right of (1) E/Flying Geese set, press. Make (36) Geese/Triangle Sets.



17. Sew (1) E/Flying Geese set to either side of (1) F 3 7/8" square. Press. Make (9) Center sets.




18. Sew (1) Geese/Triangle unit to the top and bottom of (1) Center set to make (1) Summer Winds Block. Make (9) Summer Wind Blocks.




Wyoming Valley Block

For this block you will use previously prepared HST and flying geese.


19. Sew (1) DI Flying Geese set to the top of (1) IF Flying Geese set to make (1) 2 Geese Set. Make (32) 2 Geese units.



20. Using the DJ-HSTs made in Step 2 and (1) E 2 1/8" square, sew (1) DJ-HST to the right side of (1) E 2 1/8" square. (Note direction in diagram). Press. Make (32) EDJ sets.



21. Sew (1) DH-HST to the right side of (1) DJ-HST. (Note direction in diagram). Press. Make (32) DJH sets.




22. Sew (1) EDJ set to the top of (1) DJH set to make corner sets. Press. Make (32) corner sets.


23. Using the DH and HJ-HSTs made in Step 2, sew (1) HJ-HST to the right side of (1) DH-HST (Note direction in diagram). Press. Make (16) DHJ sets.



24. Sew (2) DHJ sets together to make center sets. (Note direction in diagram). Press. Make (8) center sets.




25. Following diagram for rotation of corner sets, sew (1) corner set to the left and right of (1) 2 Geese set, press. Make (32) Geese/Triangle Sets.



26. Sew (1) 2 Geese set set to either side of center set. Press. Make (8) Center sets.

27. Sew (1) Geese/Triangle unit to the top and bottom of (1) Center set to make (1) Wyoming Valley Block. Make (8) Wyoming Valley Blocks.



QUILT ASSEMBLY:

Refer to quilt diagram on next page for placement and rotation of blocks.

28. Row 1 – Sew (3) Spaced Squares Frame Blocks and (2) Summer Wind Blocks together alternately - starting with a Space Squares Frame block.
- Row 2 – Sew (3) Wyoming Valley Blocks and (2) Spaced Squares Frame Blocks together alternately - starting with a Wyoming Valley Block.
- Row 3 – Sew (2) Summer Wind Blocks, (1) Spaced Squares Frame Block then (2) Summer Wind Blocks together in that order.
- Row 4 – Sew (1) Spaced Squares Frame Block, (3) Wyoming Valley Blocks, (1) Spaced Squares Frame Block together in that order.
- Row 5 – Sew (3) Summer Wind Blocks and (2) Spaced Squares Frame Blocks together alternately - starting with a Summer Wind Block.
- Row 6 – Sew (3) Spaced Squares Frame Blocks and (2) Wyoming Valley Blocks together alternately - starting with a Space Squares Frame block.

29. Sew (2) E 1 3/4" x WOF strips together at short end. Sew to the bottom of Row 1, press and trim even with sides of row. Sew (1) E 1 3/4" x WOF strip to remaining E strip. Sew to Row 2. Continue in this manner to sew Sashing to the bottom of Rows 1-5.

30. Sew Rows together in order, 1 being at the top and 6 at the bottom to make quilt center.

BORDERS:

Border #1

31. Sew (2) G 1 1/2" x WOF strips together at short ends. Sew to left and right side of quilt center. Press and trim even with quilt center.

32. Sew (2) G 1 1/2" x WOF strips together at short ends. Sew to top of quilt center. Press and trim even with quilt sides. Sew (1) 1 1/2" strip to remaining G strip and sew to bottom of quilt center. Press and trim even with quilt sides.

Border #2

33. Repeat Steps 31 and 32 using E 1 3/4" strips.

Border #3

34. Repeat Step 31 using K 3" x WOF strips.

35. Sew (2) G 1 1/2" x WOF strips together at short ends. Sew to top and bottom of quilt center. Press and trim even with quilt center.

FINISHING:

Cut batting and backing 3" larger than top on all sides. Layer backing, batting and top and baste or pin. When quilting is completed trim excess batting and backing. Bind as usual.

QUILT DIAGRAM

Border K

Border E

Border G



Sashing E



Sashing E



Sashing E



Sashing E



Sashing E



Border G

Border E

Border K

Border K

Border E

Border G

Border G

Border E

Border K

Border K

Note: If this Benartex pattern is included in a kit, any questions about the kit should be addressed to the vendor from whom you bought it.

BENARTEX, LLC • 132 WEST 36TH STREET, 4TH FLOOR • NEW YORK, NY 10018 • T: 212-840-3250 • WWW.BENARTEX.COM