


free pattern

Porch Swing Quilt









- BY TAILORMADE BY DESIGN
- FINISHED SIZE: 57 1/2" x 66"
- PATTERN AVAILABLE IN SEPTEMBER 2020
AT WWW.BENARTEX.COM



PORCH SWING QUILT INSTRUCTIONS:

Finished Quilt — Size 57 ½" x 66"

SAMPLE	KEY / SKU	QTY	CUT
4 Charm Packs			
(2) of each — Attic Window and Cedar Chest			
	A Lozenge <i>Cream 6924-07</i>	1 ¼ yd	(3) 5" x WOF strip sub-cut (24) 5" squares (10) 2" x WOF strip - sashing
	B Circle Swirls <i>Ecru 6920-77</i>	¼ yd or FQ	(1) 5" x WOF strips sub-cut (8) 5" squares
	C Lozenge <i>Grey 6924-08</i>	¼ yd or FQ	(1) 5" x WOF strips sub-cut (8) 5" squares
	D Circle Swirls <i>Grey 6920-08</i>	¼ yd or FQ	(1) 5" x WOF strips sub-cut (8) 5" squares
	E Dot Sun <i>Cream 6913-07</i>	¼ yd or FQ	(1) 5" x WOF strips sub-cut (8) 5" squares
	F Posies <i>Cream 6912P-07</i>	¼ yd or FQ	(1) 5" x WOF strips sub-cut (8) 5" squares
	G Plaid <i>Khaki 6919-71</i>	7/8 yd	(1) 1 ½" x WOF* strips - border (7) 2 ¼" x WOF* strips - binding

* Sew strips together via short ends

WOF = Width of Fabric RST = Right sides together

This is a scrappy quilt. You will not use all of your 5" x 5" charm pack pieces. If you wish to make it more scrappy you can use different fabrics for your diamond column.

The entire quilt is made with HST. Each HST has one light side and one medium/dark side.

Light 5" squares from yardage A, B, C, D, E, F and light charm pack squares.

- Set aside (16) A 5" squares for the diamond column.
- The remainder of the light 5" squares will be used for the scrappy rows.

Medium/dark squares are from your charm pack.

- Choose (8) different 5" squares from your charm packs and set aside (2) of each of these for the diamond column.
- You will use an additional (83) squares from your charm pack for the scrappy rows.

Half Square Triangles (HST)

For best results, sew a scant ¼" seam on diagonal seams.

Diamond Column HST are made using the (16) A 5" squares and the (16) 5" squares set aside from your charm pack — (2) each (8) different prints.

1. Place (1) A 5" square and (1) charm pack square with RST and draw a line diagonally from corner to corner. Sew ¼" seam on each side of line. Cut on line and open to make (2) HST.



2. Repeat with remaining A squares and diamond column charm pack squares. *Label and set these aside so they don't get sewn into the scrappy rows.*

Scrappy Column HST are made using the remainder of the light 5" squares and (83) 5" squares from your charm pack.

3. Place (1) light 5" square and (1) medium/dark charm 5" square with RST and draw a line diagonally from corner to corner. Sew ¼" seam on each side of line. Cut on line and open to make (2) HST. Make (166) HST.

QUILT ASSEMBLY:

Diamond Column

4. Sew (2) of the same HST from step 1 together with light triangles in upper left and right corners (refer to diagram). Repeat to make (2) sets.




5. Sew (2) sets from step 4 together rotating one to make a diamond set.

6. Repeat steps 4 and 5 with remaining HST from step 2 to make (8) diamond sets.

7. Sew diamond sets together from top to bottom to make (1) vertical diamond column.

Scrappy Column

8. Sew (2) random HST from step 3 together with light triangles in upper left corner. Make (80) 2HSTsets.



9. Sew (16) 2HST sets together from top to bottom to make (1) vertical scrappy column. Make (5) scrappy columns.

Sashing

10. Sew (2) A 2" x WOF strips together at the short ends to make each sashing strip. Make (5) sashing strips.

11. Sew sashing strips and columns in the following order from left to right to make quilt top.

Scrappy Column - Sashing strip

Diamond Column - Sashing strip

Scrappy Column - Sashing strip

Scrappy Column - Sashing strip

Scrappy Column - Sashing strip - Scrappy Column

BORDERS:

12. Sew (2) G 1 ½" x WOF strips together at short ends. Sew to left and right side of quilt center. Press and trim even with quilt center.

QUILT DIAGRAM



13. Sew (2) G 1 ½" x WOF strips together at short ends, sew to top of quilt center. Press and trim even with quilt sides. Sew (1) G 1 ½" x WOF to the remainder of strip from the top and sew to the bottom of quilt center. Press and trim even with quilt sides.

FINISHING:

Cut batting and backing 3" larger than top on all sides. Layer backing, batting and top and baste or pin. When quilting is completed trim excess batting and backing. Bind as usual.

Note: If this Benartex pattern is included in a kit, any questions about the kit should be addressed to the vendor from whom you bought it.

BENARTEX, LLC • 132 WEST 36TH STREET, 4TH FLOOR • NEW YORK, NY 10018 • T: 212-840-3250 • WWW.BENARTEX.COM