
SHORELIGHTS



- BY HEIDI PRIDEMORE
- FINISHED SIZE: 81" X 81"
- PATTERN AVAILABLE IN OCT/NOV 2021 AT BENARTEX.COM



SAMPLI	E	KEY/SKU	QTY	CUT CUT PIECES VIA WOF
	A	Shorelights Pa 9436-99 <i>Multi</i>	nel 1 panel	Fussy cut (9) 10-1/2" squares, each centered on a block
	В	Geo Stripe Tex 6649-52 Light Blue	ture 2 yds	 (4) 3-1/2" x WOF strips. Sub-cut (48) 3-1/2" squares. (4) 3-1/2" x WOF strips. Sub-cut (24) 3-1/2" x 6-1/2" strips. (5) 2" x WOF strips. Sub-cut (18) 2" x 10-1/2" strips. (6) 2" x WOF strips. Sub-cut (18) 2" x 13-1/2" strips. (8) 2" x WOF strips.*
	C	Shorelights Sci 9440-55 <i>Lilac</i>	roll 1-1/4 yds	(12) 3-1/2" x WOF strips. Sub-cut (72) 3-1/2" x 6-1/2" strips.
	D	Shore Squares 9441-56 Dark Blue	7/8 yd	(1) 6-1/2" x WOF strip. Sub-cut (4) 6-1/2" squares. (6) 3-1/2" x WOF strips. Sub-cut (72) 3-1/2" squares.
	Е	Shore Squares 9441-19 Dark Red	2-1/8 yds	 (4) 3-1/2" x WOF strips. Sub-cut (24) 3-1/2" x 6-1/2" strips. (6) 3-1/2" x WOF strips. Sub-cut (72) 3-1/2" squares. (8) 1-1/2" x WOF strips.* (8) 2-1/2" x WOF strips, BINDING.
	F	Shorelights Sci 9440-10 Red	roll 3/8 yd	(3) 3-1/2" x WOF strips. Sub-cut (36) 3-1/2" squares.
	G	Lighthouses 9438-84 <i>Turquoise</i>	1/2 yd	(2) 6-1/2" x WOF strips. Sub-cut (12) 6-1/2" squares.
	Н	Shorelights Scr 9440-33 Yellow	roll 1/4 yd	(2) 3-1/2" x WOF strips. Sub-cut (16) 3-1/2" squares.
	Ι	Shorelights Str 9437-99 <i>Multi</i>	ripe 2-1/2 yds	(4) 5-1/2" x 85" LOF strips.

^{*} SEW STRIPS VIA SHORT ENDS THEN GO TO BORDER ASSEMBLY WOF/LOF=WIDTH/LENGTH OF FABRIC

BLOCK ASSEMBLY PROJECT USES PRECISE 1/4" SEAMS. TEST YOUR SEAM ALLOWANCE BY CUTTING (2) 2-1/2" X 5" RECTANGLES. STITCH THEM TOGETHER ALONG THE 5" LENGTH. AT THE MIDPOINT, MEASURE ACROSS THE UNIT. IT SHOULD BE EXACTLY 4-1/2" WIDE. IF NOT, ADJUST YOUR SEAM ALLOWANCE AND REPEAT.

The arrows in the figures represent the fabric print direction. Pay attention to the fabric and unit orientations while assembling the various components.

BLOCK ASSEMBLY

1. Place (1) **D** 3-1/2" square on the left side of (1) **C** 3-1/2" x 6-1/2" strip, right sides together. Sew across the diagonal of the square from the upper right corner to the lower left corner. Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance.





- **2.** Place (1) **E** 3-1/2" square on the right side of the **C** 3-1/2" x 6-1/2" strip, right sides together. Sew across the diagonal of the square from the upper left corner to the lower right corner. Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance to make (1) **Unit 1** strip.
- 3. Repeat Steps 1-2 to make (36) Unit 1 strips total.




Unit 1 make 36

4. Repeat **Steps 1-2** and refer to the figures below for fabric identification, placement, seam direction and orientation to make (36) **Unit 2** strips and (24) **Unit 3** strips.


Unit 2 make 36 E D




5. Sew (1) Unit 1 strip to the left end of (1) Unit 2 strip to make (1) Unit 4 strip. Repeat to make (36) Unit 4 strips total.




6. Sew (1) B 2" x 10-1/2" strip to each side of (1) A 10-1/2" square. Sew (1) B 2" x 13-1/2" strip to the top and to the bottom of the A square to make (1) Unit 5 square. Trim the unit to measure 12-1/2" x 12-1/2". Repeat to make (9) Unit 5 squares total.



7. Sew (1) **F** 3-1/2" square to each end of (1) **Unit 4** strip to make the top row. Repeat to make the bottom row. Sew (1) **Unit 4** strip to each side of (1) **Unit 5** square to make the middle row. Sew together the (3) rows lengthwise to make (1) 18-1/2" **Block One** square. Repeat to make (9) **Block One** squares total.



8. Sew (1) **Unit 3** strip to the top and to the bottom of (1) **G** 6-1/2" square. Sew (1) **B** 3-1/2" x 6-1/2" strip to the top and to the bottom of the newly sewn strip to make (1) 6-1/2" x 18-1/2" **Block Two** rectangle. Repeat to make (12) **Block Two** rectangles total.




9. Place (1) **H** 3-1/2" square on the top left corner of (1) **D** 6-1/2" square, right sides together. Sew across the diagonal of the smaller square from the upper right corner to the lower left corner. Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle 1/4" away from the sewn seam.






- **10.** Follow the figure below for the seam direction to add a **H** 3-1/2" square to each of the remaining corners of the **D** 6-1/2" square to make (1) **Block Three** square.
- **11.** Repeat **Steps 9-10** to make (4) **Block Three** squares total.






- **12.** Sew together (3) **Block One** squares and (2) **Block Two** rectangles, alternating them from left to right, to make **Row One**. Repeat to make **Row Three** and **Row Five**.
- **13.** Sew together (3) **Block Two** rectangles and (2) **Block Three** squares, end to end and alternating them from left to right, to make **Row Two**. Repeat to make **Row Four**.
- **14.** Sew together the (5) **Rows**, lengthwise and in numerical order from top to bottom, to make the **Center Block**.



BORDER ASSEMBLY MEASURE WIDTH AND LENGTH OF THE QUILT TOP TO ENSURE B AND E BORDER SIZES, BELOW ARE OUR CUTTING SIZES.

15. Sew (1) **B** 2" x (66-1/2") strip to each side of the **Center Block**. Sew (1) **B** 2" x (69-1/2") strip to the top and to the bottom of the **Center Block**.


- **16.** Sew (1) E 1-1/2" x (69-1/2") strip to each side of the **Center Block**. Sew (1) E 1-1/2" x (71-1/2") strip to the top and to the bottom of the **Center Block**.
- **17.** Center (1) **I** 5-1/2" x 85" strip on (1) side of the **Center Block** and pin in place. Start sewing the strip a 1/4" from the top edge of the block and stop a 1/4" from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.
- **18.** Repeat **Step 17** to sew (1) **I** 5-1/2" x 85" strip to the top and to the bottom of the **Center Block**, making sure to stop and start 1/4" away from each end of the block. To miter each corner, fold the **Center Block** on a diagonal, wrong side together. This should line up the strips from adjacent sides.
- 19. Starting at the sewn seam (represented by the arrow in the figure), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a 1/4" seam. Repeat this step with the remaining corners to make the quilt top.



FINISHING Cut batting and backing 3" larger than top on all sides. Layer backing, batting and top together and baste or pin. When quilting is completed, trim excess batting and backing. Bind as usual.

FINISHED SIZE: 81" x 81"

QUILT DIAGRAM



Note: If this Benartex pattern is included in a kit, any questions about the kit should be addressed to the vendor from whom you bought it.